

7. References

- Allingham, D. P. and Neil, D. T. (1995). The supratidal deposits and effects of coral dredging on Mud Island, Moreton Bay, southeast Queensland. *Zeitschrift Geomorphologie* **39**, 273-292.
- Anderson, C. and Lee, S. Y. (1995). Defoliation of the mangrove *Avicennia marina* in Hong Kong: cause and consequences. *Biotropica* **27**, 218-226.
- Andrews, M. (1997). Canaipa Passage navigation channel investigation. Report to Queensland Transport. Brisbane, Queensland, WBM Oceanics Australia: ~40 pages.
- Arnold, D. (1995). Changes to mangrove ecosystem distribution. Port Curtis 1941 to 1989. In *Mangroves – A Resource Under Threat* (D. Hopley and N. Warner, eds.). Australasian Marine Science Consortium, Gladstone.
- Baker, J., Furnas, M., Johnson, A., Moss, A., Pearson, R., Rayment, G., Reichelt, R., Roth, C. and Shaw, R. (2003). A report on the study of land-sourced pollutants and their impact on water quality in and adjacent to the Great Barrier Reef: Report to the Intergovernmental Steering Committee, GBR Water Quality Action Plan, Premiers Department, Queensland. Department of Primary Industries Queensland, Brisbane.
- Bell, A. (2002). Herbicide effects on mangrove species. Hons. Thesis. Botany Department. The University of Queensland, Brisbane.
- Bell, P.R. and Elmetri, I. (1995). Ecological indicators of large-scale eutrophication in the Great Barrier Reef lagoon. *Ambio* **24**, 208-215.
- Boer, B. (1993). Anomalous pneumatophores and adventitious roots of *Avicennia marina* (Forssk.) vierh. mangroves two years after the 1991 Gulf War oil spill in Saudi Arabia. *Marine Pollution Bulletin* **27**, 207-211.

- Bruinsma, C. (2000). Queensland Coastal Wetland Resource: Sand Bay to Kepple Bay, Information Series QI00100. Department of Primary Industries Queensland, Brisbane.
- Capelin, M., Kohn, P. and Hoffenberg, P. (1998). Land use, land cover and land degradation in the catchment of Moreton Bay. In Moreton Bay and Catchment (I. R. Tibbetts, N. J. Hall and W. C. Dennison, eds.), pp. 55-66. School of Marine Science, The University of Queensland, Brisbane.
- Catchpole, S. (1994). Mangrove monitoring at the Fisherman Islands 1991-1994. WBM Oceanics Australia, Brisbane.
- Catterall, C. P., Storey, R. and Kingston, M. (1996). Assessment and analysis of deforestation patterns in the SEQ 2001 area 1820-1987-1994. Faculty of Environmental Sciences, Griffith University, Brisbane.
- Clark, M. W., McConchie, D., Saenger, P. and Pillsworth, M. (1997). Hydrological controls on copper, cadmium, lead and zinc concentrations in an anthropogenically polluted mangrove ecosystem, Wynnum, Brisbane, Australia. *Journal of Coastal Research* **13**, 1150-1158.
- Craighead, F. C. (1964). Land, mangroves and hurricanes. *Fairchild Trop. Gard. Bull.* **19**(4), 5-20.
- CRC for Catchment Hydrology. (2003). Brisbane River Catchment. Available at: http://www.catchment.crc.org.au/focus_cat/brisbane.htm
- Danaher, K. (1995a). Coastal wetlands resources investigation of the Burdekin Delta for declaration as fisheries reserves. Queensland Department of Primary Industries, Brisbane.
- Danaher, K. F. (1995b). Marine vegetation of Cape York Peninsula. Final Report. CYPLUS-Cape York Land Use Strategy, Office of the Co-ordinator General of

Queensland, Brisbane, Department of the Environment, Sport and Territories, Canberra, and Queensland Department of Primary Industries, Brisbane.

Davie, J. D. S. (1985). Pattern and process in the mangrove ecosystems of Moreton Bay, southeastern Queensland. PhD Thesis. University of Queensland, Brisbane.

Dennison, W. C. and Abal, E. G. (1999). Moreton Bay Study. A scientific basis for the Healthy Waterways Campaign. South East Queensland Regional Water Quality Management Strategy, Brisbane.

Department of Harbours and Marine (DHM) (1986). Harbours and Marine: Port and Harbour Development in Queensland from 1824 to 1985. Department of Harbours and Marine, Brisbane.

Dowling, R. (1986). The mangrove vegetation of Moreton Bay. Queensland Botany Bulletin No. 6. Queensland Department of Primary Industries, Brisbane.

Dowling, R. and Stephens, K. (1999). Coastal wetlands of South-Eastern Queensland: Maroochy Shire to New South Wales Border. Queensland Herbarium, Environmental Protection Agency, Brisbane.

Duke, N. C. (1997). Mangroves in the Great Barrier Reef World Heritage Area: current status, long-term trends, management implications and research. In State of the Great Barrier Reef World Heritage Area Workshop (D. Wachenfeld, J. Oliver and K. Davis, eds.), pp. 288-299. Great Barrier Reef Marine Park Authority, Townsville.

Duke, N. C. (2001). Gap creation and regenerative processes driving diversity and structure of mangrove ecosystems. *Wetlands Ecology and Management* **9**(3), 257-269.

- Duke, N. C. (2002). Sustained high levels of foliar herbivory of the mangrove *Rhizophora stylosa* by a moth larva *Doratifera stenosa* (Limacodidae) in northeastern Australia. *Wetlands Ecology and Management*, in press.
- Duke, N. C. and Watkinson, A. J. (2002). Chlorophyll-deficient propagules of *Avicennia marina* and apparent longer term deterioration of mangrove fitness in oil-polluted sediments. *Marine Pollution Bulletin* **44**, 1269-1276.
- Duke, N. C. and Wolanski, E. (2001). Muddy coastal waters and depleted mangrove coastlines - depleted seagrass and coral reefs. In *Oceanographic Processes of Coral Reefs. Physical and Biology Links in the Great Barrier Reef* (E. Wolanski, ed.), pp. 77-91. CRC Press LLC, Washington, DC.
- Duke, N. C., Ball, M. C. and Ellison, J. C. (1998b). Factors influencing biodiversity and distributional gradients in mangroves. *Global Ecology and Biogeography Letters* **7**, 27-47.
- Duke N.C., Bell, A.M., Pedersen, D.K., Roelfsema, C.M., Godson, L.M., Zahmel, K.N., Mackenzie, J. and Bengston-Nash, S. (2002). Mackay mangrove dieback. Investigations in 2002 with recommendations for further research, monitoring and management. Report to Department of Primary Industries and the community of Mackay. Marine Botany Group, Centre for Marine Studies, The University of Queensland, Brisbane.
- Duke, N. C., Burns, K. A., Swannell, R. P. J., Dalhaus, O. and Rupp, R. J. (2000). Dispersant use and a bioremediation strategy as alternate means of reducing the impact of large oil spills on mangrove biota in Australia: the Gladstone field trials. *Marine Pollution Bulletin* **41**(7-12), 403-412.
- Duke, N. C., Ellison, J. C. and Burns, K. A. (1998a). Surveys of oil spill incidents affecting mangrove habitat in Australia: a preliminary assessment of incidents, impacts on mangroves, and recovery of deforested areas. In *APPEA Journal 1998* (C. Beck, ed.), pp. 646-654. Australian Petroleum Production and Exploration Association, Canberra.

- Duke, N. C., Pinzón, Z. S. and Prada, M. C. (1997). Large scale damage to mangrove forests following two large oil spills in Panama. *Biotrop*. **29**(1), 2-14.
- Duke, N. C., Roelfsema, C., Tracey, D. and Godson, L. M. (2001). Preliminary investigation into dieback of mangroves in the Mackay region. Marine Botany Group, Botany Department, The University of Queensland, Brisbane.
- Durrington, L. (1977). Vegetation of the Brisbane Airport development and environments. In Brisbane Airport Development Environmental Study, Vol. 3, pp. 19-46. Australian Government Publishing Service, Canberra.
- Ebert, S. P. (1995). The geomorphological response to sediment discharge from the Herbert River, North Queensland, 1943-1991. James Cook University of North Queensland.
- Edyvane, K. S., Morris, K. and Seddon, S. (1994). Monitoring the effects of an oil spill on mangrove, *Avicennia marina*. 6th Pacific Congress on Marine Science and Technology, PACON '94, page 72.
- Ellison, J. C. (1998). Impacts of sediment burial on mangroves. *Marine Pollution Bulletin* **37**(8-12), 420-426.
- Ellison, J. C. and Stoddart, D. R. (1991). Mangrove ecosystem collapse during predicted sea-level rise: Holocene analogues and implications. *J. Coastl. Res.* **7**(1), 151-166.
- Environmental Protection Agency. (2001). Ecosystem health monitoring program: Brisbane River. Available at:
http://www.coastal.crc.org.au/ehmp/local_brisbane.html
- Fabbro, L.D. and Duivenvoorden, L.J. (1996). Profile of a bloom of the cyanobacterium *Cylindrospermopsis raciborskii* (Woloszynska) Seenaya and

- subba Raju in the Fitzroy River in tropical central Queensland. *Marine and Freshwater Research* **47**, 685-94.
- Fabricius, K. and De'ath, J. (2001). In Oceanographic Processes of Coral Reefs. Physical and Biology Links in the Great Barrier Reef (E. Wolanski, ed.). CRC Press LLC, Washington, DC.
- Fabricius, K. and Wolanski, E. (2000). Rapid smothering of coral reef organisms by muddy marine snow. *Estuarine, Coastal Shelf Science* **50**, 115-120.
- Farnsworth, E. J., and A. M. Ellison. (1991). Patterns of herbivory in Belizean mangrove swamps. *Biotropica* **23**, 555-567.
- Feller, I. C. and McKee, K. L. (1999). Small gap creation in a Belizean mangrove forests by a wood-boring insect. *Biotropica* **31**(4), 607-617.
- Flood, P. G. and Grant, B. P. (1984). Eighteen Mile Swamp: a modern back-barrier peat-forming environment, North Stradbroke Island. In Focus on Stradbroke: New Information on North Stradbroke Island and Surrounding Areas (R. J. Coleman, J. Covacevich and P. Davie, eds.), pp. 132-134. Boolarong, Brisbane.
- Fosberg, F. R. (1961). Vegetation-free zone on dry mangrove coastline. *U.S. Geol. Soc. Prof. Papers* **424**(D), 216-218.
- Fry, B., Bern, A. L., Ross, M. S. and Meeder, J. F. (2000). $\delta^{15}\text{N}$ Studies of nitrogen use by the red mangrove, *Rhizophora mangle* L. in South Florida. *Estuarine, Coastal and Shelf Science* **50**, 291-296.
- Furnas, M. and Mitchell (2001) In Oceanographic Processes of Coral Reefs. Physical and Biology Links in the Great Barrier Reef (E. Wolanski, ed.). CRC Press LLC, Washington, DC.
- Gara, R. I., A. Sarango, and P. G. Cannon. 1990. Defoliation of an Ecuadorian mangrove forest by the bagworm, *Oiketicus kirbyi* Guilding (Lepidoptera: Psychidae). *Journal of Tropical Forest Science* **3**, 181-186.

- Godson, L. M. (2002). Petroleum pollution and genetic mutations in *Avicennia marina*. Hons. Thesis. Botany Department, The University of Queensland, Brisbane.
- Gordon, D. M. (1987). Disturbance to mangroves in tropical-arid Western Australia: hypersalinity and restricted tidal exchange as factors to mortality. *J. Arid Environments* **15**, 117-145.
- Great Barrier Reef Marine Park Authority (2001). Great Barrier Reef Catchment Water Quality Action Plan: A Report to Ministerial Council on Targets for Pollutant Loads 2001. GBRMPA, Townsville.
- Harris, C. (2001). A scoping study: Mangrove rehabilitation at BP, Brisbane, Queensland. Hons. Thesis. Botany Department, The University of Queensland, Brisbane.
- Houston, W. A. (1999). Severe hail damage to mangroves at Port Curtis, Australia. *Mangroves and Saltmarshes* **3**, 29-40.
- Hutchings, P. A. and Saenger, P. (1987). Ecology of mangroves. University of Queensland Press, Brisbane.
- Hyland, S. J. and Butler, C. T. (1988). The distribution and modification of mangroves and saltmarsh-claypans in southern Queensland. Information Series QI89004. Queensland Department of Primary Industries, Brisbane.
- Jackson, J. B. C., Cubit, J. D., Keller, B. D., Batista, V., Burns, K., Caffey, H. M., Caldwell, R. L., Garrity, S. D., Getter, C. D., Gonzalez, C., Guzman, H. M., Kaufmann, K. W., Knap, A. H., Levings, S. C., Marshall, M. J., Steger, R., Thompson, R. C. and Weil, E. (1989). Ecological effects of a major oil spill on Panamanian coastal marine communities. *Science* **243**, 37-44.

- Johnson, A. K. L., Bramley, R. G. V. and Roth, C. H. (2000). Landcover and Water Quality in River Catchments of the Great Barrier Reef Marine Park. In *Oceanographic Processes of Coral Reefs: Physical and Biology Links in the Great Barrier Reef* (E. Wolanski, ed.). CRC Press LLC, Washington, DC.
- Johnstone, I. M. (1981). Consumption of leaves by herbivores in mixed mangrove stands. *Biotropica* **13**, 252-259.
- Kathiresan, K. (1992). Folivory in Pichavaram mangroves. *Environment and Ecology* **10**, 988-989.
- Lacerda, L. D. de, José, D. V., Rezende, C. E. de, Francisco, M. C., Wasserman, J. C. and Martins, J. C. (1986). Leaf chemical characteristics affecting herbivory in a New World mangrove forest. *Biotropica* **18**, 350-355.
- Laegdsgaard, P. and Morton, R. (1998). Assessment of health, viability and sustainability of the mangrove community at Luggage Point. WBM Oceanics Australia, Brisbane.
- Larcombe, P., Woolfe, K. J. and Purdon, R. G. (1996). Terrigenous sediment fluxes and human impacts. Current Research. CRC Reef Research Centre, Townsville.
- Lough and Skirving (2001). In *Oceanographic Processes of Coral Reefs. Physical and Biology Links in the Great Barrier Reef* (E. Wolanski, ed.). CRC Press LLC, Washington, DC.
- Landsberg, J. and Ohmart, C. (1989). Levels of insect defoliation in forests: patterns and concepts. *TREE* **4**, 96-100.
- Lowman, M. D. (1984). An assessment of techniques for measuring herbivory: is rainforest defoliation more intense than we thought? *Biotropica* **16**, 264-268.
- Lugo, A. E. and Patterson-Zucca, C. (1977). The impact of low temperature stress on mangrove structure and growth. *Trop. Ecol.* **18**, 149-161.

- Mackey, A. P., Hodgkinson, M. and Nardella, R. (1992). Nutrient levels and heavy metals in mangrove sediments from the Brisbane River, Australia. *Marine Pollution Bulletin* **24** (8), 418-420.
- Manson, F. J., Loneragan, N. R. and Phinn, S. R. (in press). Spatial and temporal variation in distribution of mangroves in Moreton Bay, subtropical Australia: a comparison of pattern metrics and change detection analyses based on aerial photographs. *Estuarine, Coastal and Shelf Sciences*.
- McKillup, S. C., and McKillup, R. V. (1997). An outbreak of the moth *Achaea serva* (Fabr.) on the mangrove *Excoecaria agallocha* (L.). *Pan-Pacific Entomologist* **73**, 184-185.
- Morton, R. (1993). Fluctuations in wetland extent in southern Moreton Bay. In *Future Marine Science in Moreton Bay* (J. G. Greenwood and N. J. Hall, eds.), pp. 145-147. School of Marine Science, The University of Queensland, Brisbane.
- Morton, R., M. Andrews, W. Young and B. Tilbury (1999). Canaipa Channel Cross-over. Jumpinpin-Broadwater Fish Habitat Area Revocation Support Study. Report to Queensland Transport. Brisbane, Queensland, WBM Oceanics Australia: 34 pages plus attachments.
- Newberry, D. M. (1980). Infestation of the coccid, *Icerya seychellarum* (Westw.), on the mangrove *Avicennia marina* (Forsk.) Vierh. on Aldabra Atoll, with special reference to tree age. *Oecologia (Berl.)* **45**, 325-330.
- Neil, D. T. and Yu, B. (1996). Fluvial sediment yield to the Great Barrier Reef lagoon: Spatial patterns and the effect of land use. In *Downstream Effects of Land Use* (H. M. Hunter, A. G. Eyles and G. E. Rayment, eds.), pp.281-286. DNR, Brisbane.
- Olsen, H. F. (1983). Biological resources of Trinity Inlet and Bay Queensland. Queensland Department of Primary Industries, Brisbane.

- Onuf, C. P. (1994). Seagrass, dredging and light in Laguna Madre, Texas, USA. *Estuarine, Coastal and Shelf Science* **39**, 75-92.
- Paijmans, K. and Rollet, B. (1977). The mangroves of Galley Reach, Papua New Guinea. *Forest Ecol. Manag.* **1**, 119-140.
- Pedersen, D. K. (2002). Assessing dieback and plant stress agents in Moreton Bay mangroves, Queensland. Hons. Thesis. Botany Department, The University of Queensland, Brisbane.
- Pegg, K. G. and Forsberg, L. I. (1982). Phytophthora in Queensland mangroves. *Wetlands* **1**(1), 2-3.
- Pegg, K. G., Gillespie, N. C. and Forsberg, L. I. (1980). Phytophthora sp. associated with mangrove death in Central coastal Queensland. *Austr. Plant Physiol.* **9**(3), 6-7.
- Piyakarnchana, T. (1981). Severe defoliation of *Avicennia alba* Bl. by larvae of *Cleora injectaria* Walker. *J. Sci. Soc. Thailand* **7**, 33-36.
- Plaziat, J.-C., Cavagnetto, C., Koeniguer, J.-C. and Baltzer, F. (2001). History and biogeography of the mangrove ecosystem, based on a critical reassessment of the paleontological record. *Wetlands Ecology and Management* **9**, 161-179.
- Putz, F. E., Parker, G. G. and Archibald, R. M. (1984). Mechanical abrasion and intercrown spacing. *American Midland Naturalist* **112**, 24-28.
- Quinn, R. H. and Beumer, J. P. (1984). Wallum Creek – A study of the regeneration of mangroves. In Focus on Stradbroke: New information on North Stradbroke Island and surrounding areas, 1974-1984 (R. J. Coleman, J. Covacevich, P. Davie, eds.), pp. 238-259. Stradbroke Island Management Organisation and Boolarong Publications, Brisbane.

- Rau, M. T. and Murphy, D. H. (1990). Herbivore attack on mangrove plants at Ranong, In *Mangrove Ecosystems, Occasional Papers no. 7*, pp. 25-37. UNDP/UNESCO Regional Mangrove Project RAS/86/120.
- Robertson, A. I. and Duke, N. C. (1987). Insect herbivory on mangrove leaves in North Queensland. *Austral. J. Ecol.* **12**, 1-7.
- Robertson, A. I., Alongi, D. M. and Boto, K. G. (1992). Food chains and carbon fluxes. In *Tropical Mangrove Ecosystems* (A. I. Robertson and D. M. Alongi, eds.), pp. 293-326. American Geophysical Union, Washington, D.C.
- Russell, D. J. and Hales, P. W. (1994). Stream habitat and fisheries resources of the Johnstone River catchment. Northern Fisheries Centre, Queensland Department of Primary Industries, Brisbane.
- Russell, D. J., Hales, P. W. and Helmke, S. A. (1996). Fish resources and stream habitat of the Moresby River Catchment. Northern Fisheries Centre, Queensland Department of Primary Industries, Brisbane.
- Saenger, P. (1988). Gladstone Environmental Survey. Queensland Electricity Commission.
- Saenger, P. (1996). Mangrove restoration in Australia: A case study of the Brisbane International Airport. In *Restoration of Mangrove Ecosystems* (C. Field, ed), pp. 36-51. International Society for Mangrove Ecosystems (ISME) and the International Tropical Timber Organization, Japan.
- Saenger, P., McConchie, D. M. and Clark, M. W. (1991). Mangrove forests as a buffer between anthropogenically polluted areas and the sea. In *1990 Workshop on Coastal Zone Management*, pp. 280-300. Yeppoon.
- Skinner, J. L., Gillam, E. and Rohlin, C.-J. (1998). The demographic future of the Moreton Region. In *Moreton Bay and Catchment* (I .R. Tibbetts, N. J. Hall and

- W. C. Dennison, eds.), pp. 67-78. School of Marine Sciences, The University of Queensland, Brisbane.
- Saur, E., Imbert, D., Etienne, J. and Mian, D. (1999). Insect herbivory on mangrove leaves in Guadeloupe: effects on biomass and mineral content. *Hydrobiologia*, **413**, 89-93.
- Schoellhamer, D. H. (1996). Anthropogenic sediment resuspension mechanisms in a shallow microtidal estuary. *Estuarine, Coastal and Shelf Science* **43**, 533-548.
- Smith-III, T. J., Roblee, M. B., Wanless, H. R. and Doyle, T. W. (1994). Mangroves, hurricanes, and lightning strikes. *BioScien.* **44**(4), 256-262.
- Steggles, N. (2002). Change in tidal wetland vegetation on Cobby Cobby Island, southern Moreton Bay, 1941-1997. Hons. Thesis. Botany Department. The University of Queensland, Brisbane.
- Turner, R. E. and Lewis, R. R. (1997). Hydrologic restoration of coastal wetlands. *Wetlands Ecology and Management* **4**(2), 65-72.
- Volkman, J. K., Miller, G. J., Revill, A. T. and Connell, D. W. (1994). Oil spills. In Environmental implications of offshore oil and gas development in Australia—the findings of an independent scientific review (J. M. Swan, J. M. Neff and P. C. Young, eds.), pp. 509-695. Australian Petroleum Exploration Association (APEA) & Energy Research and Development Corporation (ERDC), Sydney.
- Wachenfeld, D., Oliver, J. and Davis, K. (1997). State of the Great Barrier Reef World Heritage Area. Workshop. Great Barrier Reef Marine Park Authority, Townsville.
- Wardrop, J. A. (1987). The effects of oils and dispersants on mangroves: a review and bibliography. Centre for Environmental Studies, University of Adelaide, Adelaide.

- Wardrop, J. A., Wagstaff, B., Pfennig, P., Leeder, J. and Connolly, R. (1998). The distribution, persistence and effects of petroleum hydrocarbons in mangroves impacted by the "Era" oil spill (September 1992). Environment Protection Authority, South Australian Department of Environment and Natural Resources.
- Watson, C. J. J. (1928). Notes on the growth of the grey mangrove (*Avicennia*) in the upper Brisbane River. *Qld. Natur.* **6**, 83-84.
- Webster, B. and Mullins, S. (2002). Nature, progress and the 'disorderly' Fitzroy: the vain quest for Queensland's 'noblest navigable river', 1865 to 1965. Institute of Australian Geographers Conference, Canberra.
- West, R. J., and Thorogood, C. A. (1985). Mangrove dieback in the Hunter River caused by caterpillars. *Australian Fisheries* **44**, 27-28.
- Wetherell, J. (1993). A preliminary study of coastal change in southwestern Moreton Bay. Hons. Thesis. Department of Geographical Sciences and Planning, The University of Queensland, Brisbane.
- Whitten, A. J. and Damanik, S. J. (1986). Mass defoliation of mangroves in Sumatra, Indonesia. *Biotropica* **18**, 176.
- Wolanski, E. (1994). Physical Oceanographic Processes of the Great Barrier Reef of Australia. CRC Press, Boca Raton, Florida.
- Wolanski, E. and Duke, N. C. (2000). Mud threat to the Great Barrier Reef of Australia. In *Muddy Coasts 2000* (T. R. Healy, Y. Wang and J.-A. Healy, eds.). Springer-Verlag.
- Zeller, B. (1998). Queensland's fisheries habitats. Current condition and recent trends. Queensland Department of Primary Industries, Brisbane.

